



**LANGEBAAAN**  
COUNTRY ESTATE

# Langebaan Country Estate

## PLANT LIST

Appendix I of the Langebaan Country Estate Landscape  
Guideline Document Part 3

DATED - 21 December 2017



**Langebaan Country Estate Joint Venture**

Lodge 2, Clubhouse Drive, Langebaan Country Estate P.O. Box 144, Langebaan, 7357

tel +27 22 772 2112 Fax +27 22 772 2460 email [jennifer@LCE.co.za](mailto:jennifer@LCE.co.za)

[www.LCE.co.za](http://www.LCE.co.za)



## INDEX

|                    |    |
|--------------------|----|
| 1. GROUNDCOVERS    | 3  |
| 2. SHRUBS          | 4  |
| 3. REEDS / GRASSES | 7  |
| 4. BULBS           | 8  |
| 5. SUCCULENTS      | 9  |
| 6. TREES           | 10 |
| 7. WETLAND PLANTS  | 11 |
| 8. POTTED PLANTS   | 11 |



## 1. GROUNDCOVERS

| Botanical Name                   | English Name         | Afrikaans Name    | Shape     | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses             |
|----------------------------------|----------------------|-------------------|-----------|------------|---------------|----------------|-------------|------------------|
| <i>Arctotis Stoechadifolia</i>   | Trailing Marigold    | Kusgousblom       | Spreading | 0,3-0,4    | Cream/yellow  | 9-12           | Fast        | Butterflies      |
| <i>Arctotis Angustifolia</i>     |                      | Smalblaargousblom | Spreading | 0,3-0,4    | Cream/yellow  |                | Fast        |                  |
| <i>Arctotis Hirsuta</i>          |                      | Gousblom          | Spreading |            |               |                |             |                  |
| <i>Arctotis Breviscapa</i>       |                      | Sandveldgousblom  | Spreading |            |               |                |             |                  |
| <i>Arctotis Incisa</i>           |                      | Botterblom        | Spreading |            |               |                |             |                  |
| <i>Arctotis Revolta</i>          |                      | Krulblaargousblom | Spreading |            |               |                |             |                  |
| <i>Arctotis Aspera</i>           |                      | Taaigousblom      | Spreading |            |               |                |             |                  |
| <i>Bulbine Frutescens</i>        | Bulbine              | Geelkwassie       | Erect     | 0,3        | Yellow        | 0-12           | Fast        | Annual           |
| <i>Bulbine Annua</i>             |                      |                   |           | 0,15-0,4   | Yellow        |                |             |                  |
| <i>Bulbine Lagopus</i>           |                      |                   |           | 0,1-0,15   | Yellow        |                |             |                  |
| <i>Bulbine Favosa</i>            |                      |                   |           | 0,15-0,5   | Yellow        |                |             |                  |
| <i>Bulbine Cepacea</i>           |                      |                   |           | 0,2-0,4    | Yellow        |                |             |                  |
| <i>Bulbine Praemorsa</i>         |                      |                   |           | 0,4-0,6    | Yellow        |                |             |                  |
| <i>Carpobrotus Aciniformis</i>   | Sour Fig             | Elandsvy          | Spreading |            | Pink          | 8-10           | Fast        | Tortoise         |
| <i>Carpobrotus Quadrifidus</i>   |                      |                   |           |            | Pink/purple   | 8-10           | Fast        |                  |
| <i>Carpobrotus Edulis</i>        | Sour Fig             | Suurvy            | Spreading | 0,1-0,2    | Yellow        | 6-11           | Fast        | Birds            |
| <i>Drosanthemum Striatum</i>     | Porcelain Dew Flower | Porseleindouvygie | Spreading | 0,03       | Shell-pink    | 9              | Fast        |                  |
| <i>Dymondia Margeretae</i>       | Silver Carpet        |                   | Spreading | <1         | Yellow        | Summer         | Perennial   |                  |
| <i>Felicia Heterophylla</i>      | Felicia              | Bloublomastertjie | Spreading | 0,3        | Blue          | 8-10           | Fast        | Annual           |
| <i>Gazania Maritima</i>          | Gazania              | Botterblom        | Spreading | 0,1        | Mixed         | 1-12           | Medium      |                  |
| <i>Gazania Rigens</i>            | Gazania              | Strandgazania     | Sprawling | 0,2        |               |                |             |                  |
| <i>Gazania Krebsiana</i>         | Gazania              | Strandgazania     | Tufted    | 0,2        | Yellow        | 8-12           | Medium      |                  |
| <i>Gazania Pectinata</i>         | Gazania              |                   | Tufted    | 0,2        | Yellow        | 4-12           | Medium      |                  |
| <i>Gazania Rigida</i>            | Gazania              | Botterblom        | Tufted    | 0,25       | Yellow/orange | 5-12           | Medium      |                  |
| <i>Geranium Incanum</i>          | Carpet Geranium      | Bergtree          | Spreading | 0,15       | Pink-mauve    | 9-12           | Fast        | Butterflies/bees |
| <i>Helichrysum Moeserlanum</i>   | Everlasting          |                   | Rounded   | 0,3        | Yellow        | 7-10           | Medium      |                  |
| <i>Helichrysum Revolutum</i>     |                      |                   | Sprawling | 2          |               |                |             |                  |
| <i>Helichrysum Stellatum</i>     |                      |                   | Rounded   | 0,45       |               |                |             |                  |
| <i>Helichrysum Cochlearforme</i> |                      |                   | Rounded   | 0,2        |               |                |             |                  |
| <i>Jordaniella Dubia</i>         |                      | Strandvygie       |           |            | Yellow        |                |             | Endemic          |
| <i>Nemesia Strumosa</i>          | Cape Jewel           | Balsamienie       | Spreading | 0,1-0,4    | Varied        | 9-10           | Fast        | Annual           |



| Botanical Name                  | English Name   | Afrikaans Name  | Shape     | Height (m) | Flower Colour     | Flowering Time | Growth Rate | Uses              |
|---------------------------------|----------------|-----------------|-----------|------------|-------------------|----------------|-------------|-------------------|
| <i>Nemesia Versicolor</i>       | Nemesia        | Bontleeu Bekkie | Erect     | 0,1-0,4    | Varied            | 8-11           | Fast        | Annual            |
| <i>Osteospermum sp</i>          | Trailing Daisy |                 | Spreading | 0,2        | Yellow            | 9-12           | Fast        | Butterflies/birds |
| <i>Pelargonium Capitatum</i>    | Pelargonium    | Kusmalva        | Spreading | 0,3-0,5    | Pink              | 8-10           | Medium      | Butterflies/birds |
| <i>Pelargonium Lobatum</i>      | Pelargonium    |                 |           | 0,5        | Yellow/black      |                |             |                   |
| <i>Pelargonium Triste</i>       | Pelargonium    | Kaneeltjie      |           | 0,5        | Yellow/maroon     | 7-12           |             |                   |
| <i>Pelargonium Longifolium</i>  | Pelargonium    |                 |           |            |                   |                |             |                   |
| <i>Pelargonium Pinnatum</i>     | Pelargonium    |                 |           |            |                   |                |             |                   |
| <i>Pelargonium Rapaceum</i>     | Pelargonium    | Bergpatat       |           | 0,4        | Pale-pink         | 5-12           |             |                   |
| <i>Pelargonium Fulgidum</i>     | Pelargonium    | Rooimalva       |           | 0,4        | Red               | 6-12           |             |                   |
| <i>Pelargonium Gibbosum</i>     | Pelargonium    | Jigmalva        | Sprawling |            | Green/yellow      |                |             |                   |
| <i>Pelargonium Cucullatum</i>   | Pelargonium    | Wildemalva      | Sprawling | 2          |                   |                |             |                   |
| <i>Pelargonium Senecoides</i>   | Pelargonium    |                 | Branching |            | White             | 3-12           |             |                   |
| <i>Pelargonium Elongatum</i>    | Pelargonium    |                 |           | 0,25       | Red/cream         | 12-12          |             |                   |
| <i>Pelargonium Myrrhifolium</i> | Pelargonium    |                 | Sprawling |            | White/pink/purple | 7-12           |             |                   |
| <i>Pelargonium Longicaule</i>   | Pelargonium    |                 | Creeping  |            |                   | 8-12           |             |                   |
| <i>Ruschia Macowanii</i>        |                | Bosvygie        | Round     | 0,1-0,3    | Magenta           | 9-11           | Medium      |                   |
| <i>Scabiosa Incise</i>          | Scabious       | Scabious        | Erect     | 0,3        | Pink              | 9-12           | Fast        |                   |
| <i>Senecio Arenarius</i>        | Senecio        | Hongerblom      | Erect     | 0,2        | Yellow/magenta    | 8-10           | Fast        | Annual            |
| <i>Senecio Elegans</i>          | Wild Cineraria | Veldconeraria   | Erect     | 0,4        | Yellow/magenta    | 9-11           | Fast        | Annual            |
| <i>Tulbaghia Violacea</i>       | Wild Garlic    | Wildeknoffel    | Erect     | 0,4        | Violet            | 11-3           | Fast        | Insect repellent  |

## 2. SHRUBS

| Botanical Name              | English Name    | Afrikaans Name | Shape     | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses             |
|-----------------------------|-----------------|----------------|-----------|------------|---------------|----------------|-------------|------------------|
| <i>Acmadenia Obtusata</i>   | Acmadenia       | Duineboegoe    | Spreading | 1          | Pink          | 8-10           | Medium      |                  |
| <i>Agathosma Capensis</i>   | Buchu           | Aysboegoe      | Rounded   | 0,3-0,8    | White/pink    | 8-10           | Medium      |                  |
| <i>Agathosma Imbricata</i>  | Buchu           | Sandboegoe     | Erect     | 0,5-1      | White         | 8-2            | Medium      |                  |
| <i>Arctotis Laevis</i>      | Marigold        | Gousblom       | Erect     | 1          | Yellow/orange | 8-9            | Medium      |                  |
| <i>Asparagus Capensis</i>   | Wild Asparagus  | Katdoring      | Spreading |            | White         | 4-8            | Medium      | Birds            |
| <i>Asparagus Lignosus</i>   | Wild Asparagus  | Withaakdoring  | Spreading |            | White         | 10-4           | Medium      | Birds            |
| <i>Carissa Bispinosa</i>    | Num-num         | Noem-noem      | Spreading | 2-4        | White         | 12             | Medium      | Birds/hedge      |
| <i>Carissa Haemorocarpa</i> | Karoo Num-num   | Karoo Num-num  | Spreading | 2-3        | Cream         | 10-12          | Slow        | Birds/bees/hedge |
| <i>Chironia Baccifera</i>   | Christmas Berry | Bitterbos      | Spreading | 0,5        | Pink          | 11-2           | Slow        | Birds            |



| Botanical Name                     | English Name     | Afrikaans Name  | Shape            | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses                        |
|------------------------------------|------------------|-----------------|------------------|------------|---------------|----------------|-------------|-----------------------------|
| <i>Chrysanthemoides Incana</i>     | Bietou           | Grysbietou      | Shrub            | 0,5-1      | Yellow        | 1-12           | Fast        | Birds/butterflies           |
| <i>Chrysanthemoides Monilifera</i> | Tick Berry       | Sandbietou      | Shrub            | 1-2        | Yellow        | 9-3            | Fast        | Windbreak/birds/butterflies |
| <i>Crasula Dejecta</i>             |                  |                 | Shrub            | 0,4        | White         | 11-02          |             |                             |
| <i>Crasula Dichthoma</i>           |                  |                 | Shrub            | 0,2        | Yellow-orange | 9-10           |             |                             |
| <i>Crasula Natans</i>              | Watergrass       |                 | Shrub            | 0,02-0,2   | White-pink    | 5-10           |             |                             |
| <i>Crasula Muscosa</i>             | Skoenveterbossie |                 | Shrub            | 0,1-0,5    | White-pink    | 8-3            |             |                             |
| <i>Crasula Saxifraga</i>           |                  |                 | Shrub            | 0,1-0,25   |               | 4-6            |             |                             |
| <i>Crasula Atropurpurea</i>        |                  |                 | Shrub            | <0,6       | Cream         | 10-12          |             |                             |
| <i>Coleonema Album</i>             | Cape May         | Klipboegoe      | Spreading        | 0,5-2      | White         | 5-11           | Medium      |                             |
| <i>Cynacum Africanum</i>           | Cynachum         | Bokhorinkies    | Climber          | <0,6       |               | 6-12           |             | Fragrant                    |
| <i>Delosperma Litorale</i>         |                  | Kalkklipvygie   | Sprawling        |            | White/pink    | 4              |             |                             |
| <i>Diosma Aspalathoides</i>        | Buchu            | Haasboegoe      | Spreading        | 1-2        | White         | 9-10           | Medium      |                             |
| <i>Diosma Hirsuta</i>              | Wild Buchu       | Wildeboegoe     | Spreading        | 1          | White         | 2-9            | Medium      |                             |
| <i>Eriocephalus Africanus</i>      | Wild Rosemary    | Kapokbossie     | Spreading        | 0,5-0,8    | White         | 5-11           | Medium      |                             |
| <i>Eriocephalus Racemosus</i>      |                  | Strandkapokbos  | Spreading        | 0,6-0,8    | White         | 8-11           | Medium      |                             |
| <i>Euclea Racemosa</i>             | Sea Gaurri       | Kersbos         | Spreading        | 1-3        | Cream/white   | 12-3           | Medium      | Birds                       |
| <i>Euryops Multifidus</i>          | Euryops          |                 | Shrub            | 1,5        | Yellow        | 6-9/8-10       | Fast        |                             |
| <i>Euryops Tenuissimus</i>         | Euryops          | Grootharpuisbos | Shrub            | 2,5        | Yellow        |                | Fast        |                             |
| <i>Euryops Linifolius</i>          | Euryops          | Harpuisbos      |                  |            |               |                | Fast        |                             |
| <i>Felicia Filifolia</i>           | Wild Aster       | Draaibossie     | Erect            | 1x1        | Blue/violet   | 10-11          | Fast        |                             |
| <i>Felicia Hyssopifolia</i>        |                  | Astertjie       | Slender Shrublet | <0,6       |               | 4-10           |             |                             |
| <i>Felicia Tenella</i>             |                  | Asters          |                  | 0,05-0,25  | Blue/violet   | 8-11           | Annual      |                             |
| <i>Felicia Bergeriana</i>          |                  | Asters          |                  | <0,2       | Blue/yellow   | 8-10           | Annual      |                             |
| <i>Felicia Heterophyphylia</i>     |                  | Asters          |                  |            |               | 8-10           | Annual      |                             |
| <i>Felicia Elongata</i>            |                  | Asters          |                  |            |               |                |             |                             |
| <i>Gnidia Pinifolia</i>            | Saffron Bush     | Saffraan        | Shrub            | <1         | White         | 12-12          |             |                             |
| <i>Gnidia Geminiflora</i>          | Saffron Bush     | Saffraan        | Erect            | <0,6       |               | 6-12           |             |                             |
| <i>Helichrysum Dasyanthum</i>      | Everlasting      | Sewejaartjie    | Spreading        | 0,5        | Yellow        | 8-11           | Medium      | Birds                       |
| <i>Hermania Pinnata</i>            | Doll's Rose      | Poprosie        | Creeping         | <0,15      | Yellow        | 8-10           |             |                             |
| <i>Hermani Alnifolia</i>           | Doll's Rose      | Poprosie        | Rounded          | <1         | Yellow        | 7-10           |             |                             |



| Botanical Name                  | English Name       | Afrikaans Name       | Shape                | Height (m) | Flower Colour     | Flowering Time | Growth Rate | Uses                      |
|---------------------------------|--------------------|----------------------|----------------------|------------|-------------------|----------------|-------------|---------------------------|
| <i>Hermania Althaefolia</i>     | Doll's Rose        | Pokkiesblom          | Erect                | <0,5       | Yellow/reddish    | 8-10           |             |                           |
| <i>Hermania Trifurca</i>        | Doll's Rose        | Poprosie             | Shrublet             | <1,5       | Mauve             | 8-10           |             |                           |
| <i>Hermania Ternifolia</i>      | Doll's Rose        | Poprosie             | Sprawling            | <0,2       | Orange/red        | 8-9            |             |                           |
| <i>Hymenolepsis Crithmoides</i> | False Karoo        |                      | Shrub                | 3          | Yellow            |                | Perennial   | Rockeries                 |
| <i>Hermania Heterophylla</i>    | Doll's Rose        | Poprosie             | Sprawling            | <0,5       | Mauve             | 9-10           |             |                           |
| <i>Leonotis Leonurus</i>        | Wild Dagga         | Wildedagga           | Erect                | 1-2        | Orange/white      | 11-2           | Fast        | Birds                     |
| <i>Leucadendron Coniferum</i>   | Cone Bush          | Duinegeelbos         | Shrub                | 1-2,5      | Yellow            | 8-9            | Medium      | Windbreak                 |
| <i>Leucospermum High Gold</i>   | Pincushion         | Goue Speldekussing   | Shrub                | Med        | Yellow            | Summer         |             | Birds/butterflies         |
| <i>Leysera Gnaphalodes</i>      | Tea Bush           | Skilpadteebossie     | Spreading            | 0,5        | Yellow            | 9-10           | Medium      |                           |
| <i>Limonium Capense</i>         | Sea Lavender       | Saldanha Strandroos  | Erect                | 0,5x5      | Pink              | 11-1           | Medium      |                           |
| <i>Limonium Peregrinum</i>      | Sea Lavender       | Strandroos           | Erect                | 0,4-0,8    | Magenta           | 11-1           | Medium      |                           |
| <i>Lobostemon Fruticosus</i>    | Pyjama Bush        |                      | Spreading            | 1          | Pink/blue         | 7-10           | Medium      |                           |
| <i>Lycium Afrum</i>             | Honey-thorn        | Bokdoring            | Spreading            | 1          | Purple            | 6-11           | Medium      | Birds                     |
| <i>Lycium Ferocissimum</i>      | Honey-thorn        | Slangbessie          | Spreading            | 1-1,5      | Purple            | 8-9            | Medium      | Birds                     |
| <i>Melianthus Major</i>         | Touch-me-not       | Kruidjie-roer-my-nie | Drooping / spreading | 1-2        | Red               | 9              | Fast        | Butterflies/birds         |
| <i>Metalasia Muricata</i>       | White Bristle Bush | Blombos              | Rounded              | 1-2        | Creamy-white/pink | 5-8            | Fast        | Birds/butteflies          |
| <i>Nylandtia Scoparia</i>       | Dune Berry         | Duinebessie          | Erect                | 2,5        | Mauve             | 7-9            | Medium      | Bees/birds/small animals  |
| <i>Nylandtia Spinosa</i>        | Tortoise Berry     | Skilpadbessie        | Spreading            | 1x1        | Mauve             | 4-10           | Medium      | Birds                     |
| <i>Osyris Compressa</i>         | Cape Sumach        | Pruimbos             | Shrub                | 0,5-2      | Yellow-green      | 1-12           | Medium      | Butterflies/birds         |
| <i>Orphium Frutescens</i>       | Sea Rose           |                      | Shrublet             | <0,80      | Pink              | 11-02          |             |                           |
| <i>Ortholobium Bracteolatum</i> | Ortholobium        | Skaapbostee          | Sprawling            | -2         | Blue/White        | 11-04          |             |                           |
| <i>Othonna Filicaulis</i>       | Othonna            | Bobbejaanklimop      | Straggling           | <0,7       | White/yellow      | 5-8            |             |                           |
| <i>Othonna Cylindrica</i>       | Othonna            |                      | Succulent shrub      | 1          | Yellow            | 6-10           |             |                           |
| <i>Othonna Arborescens</i>      | Othonna            | Bobbejaankool        | Shrublet             | <0,6       | Yellow            | 5-9            |             |                           |
| <i>Othonna Coronopifolia</i>    | Othonna            |                      | Shrub                | 1,5        | Yellow            | 7-11           |             | Semi-succulent            |
| <i>Passerina Vulgaris</i>       | Gonna Bush         | Sandgannabos         | Rounded              | 0,5        | Yellow/red        | 8-9            | Medium      | Bees/insect eaters        |
| <i>Pelargonium Gibbosum</i>     | Gouty Geranium     | Dikbeenmalva         | Spreading            |            | Green-yellow      | 11-4           | Medium      | Butterflies               |
| <i>Phylica Ericoides</i>        |                    |                      | Compact              | <1         | White             | 1-12           |             |                           |
| <i>Plectranthus sp</i>          | Spur Flower        |                      |                      | 5          |                   |                |             | Bees/butterflies/fragrant |
| <i>Podalyria Sericea</i>        | Sweet Pea Bush     |                      | Rounded              | 1x1        | Pink              | 5-8            |             | Bees/insects/rockeries    |





| Botanical Name                  | English Name       | Afrikaans Name   | Shape     | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses              |
|---------------------------------|--------------------|------------------|-----------|------------|---------------|----------------|-------------|-------------------|
| <i>Polygala Myrtifolia</i>      | September Bush     | Septemberbos     | Spreading | 1-1,5x2    | Purple        | 6-9            | Fast        | Hedges/birds      |
| <i>Portulacaria Afra</i>        | Pork Bush          | Spekboom         | Spreading | 1,5-2      | Pink          | 6-9            | Slow-Med    | Health            |
| <i>Pteronia Divaricata</i>      |                    | Geelgombos       | Rounded   | 1,5        | Yellow        | 9-11           | Medium      |                   |
| <i>Pteronia Onobromoides</i>    | Sab                | Sab              | Rounded   | 0,5-1      | Yellow        | 2-5            | Medium      |                   |
| <i>Pteronia Uncinata</i>        |                    | Strandgombos     | Rounded   | 0,5-1      | Yellow        | 2-3            | Medium      |                   |
| <i>Putterlickia Pyracantha</i>  | False Spike-thorne | Pendoring        | Spreading | 1-3        | Cream         | 11-3           | Medium      |                   |
| <i>Rhus Crenata</i>             | Dune Crow-berry    | Duinekraaibessie | Spreading | 1-2        | Yellow-green  | 10-3           | Fast        |                   |
| <i>Rhus Glauca</i>              | Blue Kunibush      | Taaiblaar        | Spreading | 1-2        | Green         | 5-9            | Medium      |                   |
| <i>Salvia Africana-lutea</i>    | Coastal Sage       | Strandsalie      | Spreading | 1-1,5      | Brown-red     | 10-3           | Fast        | Birds/butterflies |
| <i>Salvia Africana-caerulea</i> | Sage               | Bloublomsalie    | Spreading | <2         | Blue          | 6-01           | Fast        | Birds/butterflies |
| <i>Salvia Chamelaeagna</i>      | Sage               | Afrikaanse salie | Spreading | <2         | Mauve/blue    | 11-5           | Fast        |                   |
| <i>Salvia Lanceolata</i>        | Sage               | Rooisalie        | Spreading | <2         | Rose          | 9-6            | Fast        | Fragrant          |
| <i>Solanum Guineense</i>        | Nightshade         | Bitterappel      | Sprawling | <1,5       | Various       | 3-8            |             |                   |
| <i>Stachus Aethiopica</i>       | Woundwort          | Katbossie        | Sprawling | <0,5       | White/pink    | 8-9            | Fast        |                   |
| <i>Sutherlandia Frutescens</i>  | Cancer Bush        | Gansies          | Sprawling | 0,5        | Red           | 8-11           | Fast        | Birds/butterflies |
| <i>Tetragonia Chenepoides</i>   | Sea Coral          | Klapperbrak      | Sprawling | <0,40      | Yellow/green  | 7-9            |             |                   |
| <i>Tetragonium Fruticosum</i>   |                    | Kinkelbossie     | Sprawling |            | Yellowish     | 8-11           |             |                   |
| <i>Zygophyllum Morgsana</i>     | Tortoise Bush      | Slymbos          | Spreading | 1          | Yellow        | 6-11           | Medium      | Butterflies       |
| <i>Zygophyllum Flexuosum</i>    |                    | Maerbos          | Sprawling | <0,7       | Golden-yellow | 6-10           | Medium      | Butterflies       |

### 3. REEDS / GRASSES

| Botanical Name                 | English Name   | Afrikaans Name | Shape         | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses        |
|--------------------------------|----------------|----------------|---------------|------------|---------------|----------------|-------------|-------------|
| <i>Chondropetalum Tectorum</i> | Thatching Reed | Bonriet        | Tufted        | 1,5        | Brownish      | 4-6            | Medium      | Windbreak   |
| <i>Cynodon Dactylon</i>        | Couch Grass    | Fynkweek       | Stoloniferous |            |               | 9-5            | Medium      | Birds       |
| <i>Stenotaphrum Secundatum</i> | Buffalo Grass  | Buffelsgras    | Surface grass |            | White         | 10-1           | Medium      | Butterflies |
| <i>Thamnochortus Insignius</i> | Thatching Reed | Dekriet        | Tufted        | 1,5-2      | Brownish      | 3-4            | Medium      | Windbreak   |
| <i>Thamnacortus Spicigerus</i> |                |                |               |            | Brown         |                |             |             |
| <i>Willdenowia Incurvata</i>   | Willdenowia    | Sonkwasriet    | Tufted        | 1-2        | Brownish      | 4              | Medium      | Windbreak   |



#### 4. BULBS

| Botanical Name                 | English Name      | Afrikaans Name     | Shape     | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses              |
|--------------------------------|-------------------|--------------------|-----------|------------|---------------|----------------|-------------|-------------------|
| <i>Albuca Flaccida</i>         | Tamarak           | Slang-tamarak      | Erect     | 0,5        | Yellow-green  | 9-11           | Medium      |                   |
| <i>Albuca Maxima</i>           | Tamarak           | Wittamarak         | Erect     | 0,5-1      | White-green   | 8-10           | Medium      |                   |
| <i>Amaryllis Belladonna</i>    | March Lily        | Maartlelie         | Rosulate  | 0,3-0,8    | Pink          | 2-3            | Slow        |                   |
| <i>Babiana Pygmaea</i>         | Yellow Babiana    | Geel Bobbejaantjie | Erect     | 0,2        | Yellow        | 8-9            | Medium      |                   |
| <i>Babiana Rubrocyanea</i>     | Wine-cup Babiana  | Kelkiewyn          | Rosulate  | 0,2        | Blue/red      | 8-9            | Medium      |                   |
| <i>Babiana Stricta</i>         | Babiana           | Stompstert         | Erect     | 0,2        | Mauve         | 8-9            | Slow        |                   |
| <i>Brunsvigea Orientalis</i>   | Candelabra Flower | Kandelaar          | Rosulate  | 0,1        | Pink          | 2-3            | Slow        |                   |
| <i>Chasmanthe Aethiopica</i>   |                   | Klein Piempiempie  | Ascending | 0,6        | Orange        | 4-6            | Medium      |                   |
| <i>Chasmanthe Floribunda</i>   | Flaming Pipes     | Piempiempie        | Ascending | 0,8        | Orange        | 7-8            | Medium      |                   |
| <i>Drimea Capensis</i>         | Drimea            | Maerman            | Erect     | 2          | White         | 12-3           | Medium      |                   |
| <i>Gethyllis Afra</i>          | Kukumakranka      | Koekemakranka      | Erect     | 0,1        | White         | 12-1           | Medium      |                   |
| <i>Gladiolus Speciosus</i>     | Gladiolus         | Bontkalkoentjie    | Erect     | 0,3-0,4    | Orange        | 9              | Medium      |                   |
| <i>Gladiolus Priorii</i>       | Gladiolus         | Rooiypie           | Erect     | 0,3        | Red           | 5-7            | Medium      |                   |
| <i>Hesperantha Falcata</i>     | Hesperantha       | Aandblom           | Erect     | 0,06-0,30  | White         | 7-10           | Medium      | Scented           |
| <i>Lachenalia Aloides</i>      | Cape Cowslip      | Klipviooltjie      | Rosulate  | 0,2        | Yellow/red    | 7-10           | Medium      | Birds             |
| <i>Lachenalia Bulbifera</i>    | Lachenalia        | Rooinaeltjie       | Rosulate  | 0,2        | Red           | 5-6            | Medium      | Birds             |
| <i>Lachenalia Rubida</i>       | Lachenalia        | Sandviooltjie      | Rosulate  | 0,2        | Red           | 4-7            | Medium      | Birds             |
| <i>Oxalis Pes-caprae</i>       | Sorrel            | Geelsuring         | Tufted    |            | Yellow        | 6-10           |             |                   |
| <i>Oxalis Flava</i>            | Sorrel            | Bobbejaanuintjie   |           |            | Yellow        | 5-6            |             |                   |
| <i>Oxalis Burtoniae</i>        | Sorrel            |                    | Wiry      | 0,1        | Yellow        | 6              |             |                   |
| <i>Oxalis Luteola</i>          | Sorrel            | Sandsuring         |           |            | Yellow        | 5-6            |             |                   |
| <i>Oxalis Obtusa</i>           | Sorrel            | Geeloogsuring      |           |            | Yellow        | 6-10           |             |                   |
| <i>Oxalis Purpurea</i>         | Sorrel            |                    |           |            | Varied        | 5-11           |             |                   |
| <i>Oxalis Versicolor</i>       | Sorrel            |                    |           | <0,2       | White         | 5-11           |             |                   |
| <i>Oxalis Hirta</i>            | Sorrel            |                    |           | 0,05-0,3   | Magenta       | 4-5            |             |                   |
| <i>Ornithogalum Thyrsoides</i> | Chinkerinchee     | Tjienkerintjie     | Rosulate  | 0,3        | White         | 10-12          | Medium      | Birds/butterflies |
| <i>Trachyandra Ciliata</i>     |                   | Wildeblomkool      | Erect     | 0,1-0,5    | White         | 8-9            | Medium      |                   |
| <i>Trachyandra Divaricata</i>  |                   | Duinekool          | Erect     | 0,1-0,4    |               | 6-9            | Medium      |                   |
| <i>Trachyandra Falcata</i>     |                   | Veldkool           | Erect     | 0,6        | White-purple  | 8-10           | Medium      |                   |





| Botanical Name                 | English Name           | Afrikaans Name  | Shape    | Height (m) | Flower Colour  | Flowering Time | Growth Rate | Uses |
|--------------------------------|------------------------|-----------------|----------|------------|----------------|----------------|-------------|------|
| <i>Veltheimia Capensis</i>     | Sand Lily              | Sandlelie       | Rosulate | 0,4        | Pink           | 5-8            | Medium      |      |
| <i>Watsonia Coccinea</i>       | Short Scarlet Watsonia | Kleinkanolpypie | Erect    | 0,5        | Pink/mauve/red | 8-9            | Medium      |      |
| <i>Watsonia Marginata</i>      | Watsonia               | Kanolpypie      | Erect    | 0,5        | Pink/mauve/red | 8-9            | Medium      |      |
| <i>Watsonia Meriana</i>        | Bulbil-forming         | Lakpypie        | Erect    | 0,5        | Red            | 10-11          | Medium      |      |
| <i>Zantedeschia Aethiopica</i> | Arum Lily              | Varkblom        | Erect    | 0,3-0,8    | White          | 7-10           | Fast        |      |

## 5. SUCCULENTS

| Botanical Name                          | English Name    | Afrikaans Name    | Shape           | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses              |
|-----------------------------------------|-----------------|-------------------|-----------------|------------|---------------|----------------|-------------|-------------------|
| <i>Aloe Arenicola</i>                   | Strandveld Aloe | Bont-O-t'korrie   | Rounded         | 0,7        | Red           | 7-12           | Slow        | Birds             |
| <i>Aloe Distans</i>                     | Saldanha Aloe   | Saldanha Aalwyn   | Spreading       | 0,2-0,3    | Orange        | 12             | Slow        | Birds,R,E         |
| <i>Aloe Microstigma subsp. Framesii</i> | Bitter Aloe     | Bitter Aalwyn     | Spreading       | 1          | Orange-red    | 6-7            | Slow        | Birds             |
| <i>Aloe Mitriformis</i>                 | Mitre Aloe      | Krans Aalwyn      | Decumbent       | 0,5        | Red           | 11-2           | Slow        | Birds/rockeries   |
| <i>Cotyledon Orbiculata</i>             | Pig's Ear       | Honde Oor         | Spreading       | 0,5-1      | Red-pink      | 10-2           | Medium      | Butterflies/birds |
| <i>Crassula Expansa</i>                 | Crassula        | Strepies-crassula | Spreading       |            | White         | 12-2           | Medium      |                   |
| <i>Dorotheanthus Bellidiformis</i>      |                 | Bokbaaivygie      | Spreading       | 0,1        | Varied        | 7-9            | Fast        | Annual            |
| <i>Drosanthemum sp</i>                  |                 | Vygie             | Shrubs          | 0,5        | Varied        | 9-1            | Medium      |                   |
| <i>Dipogon Lignosus</i>                 | Cape sweet pea  | Bosklimop         | Climber         |            | Pink          | 12-12          | Fast        |                   |
| <i>Euphorbia Caput-medusae</i>          | Caput           | Vingerpol         | Erect           | 0,2-0,5    | White         | 6-9            | Medium      | Butterflies       |
| <i>Euphorbia Burmannii</i>              | Milk Bush       | Steenbokbos       | Rounded         | 1          | Green         | 7-8            | Fast        | Butterflies       |
| <i>Euphorbia Mauritanica</i>            | Milk Bush       | Geelmelkbos       | Rounded         | 0,8-1,2    | Yellow        | 7-10           | Fast        | Butterflies       |
| <i>Jordaaniella Dubai</i>               |                 | Helderkruipvygie  | Spreading       | 0,1        | Yellow        | 6-9            | Fast        | Groundcover       |
| <i>Lampranthus sp</i>                   |                 | Vygie             | Erect/spreading | 0,2 -0,6   | Varies        | 7-10           | Fast        | Tortoises         |
| <i>Lobelia Linearis</i>                 | Lobelia         | lobelia           | Erect           | <0,7       | Blue          | 9-3            |             |                   |
| <i>Oscularia Vredenburgensis</i>        | Oscularia       | Sandsteenvygie    | Sprawling       | <0,25      | Pink/white    | 7-8            |             |                   |
| <i>Othonna Cylindrical</i>              | Othonna         | Bobbejaankool     | Spreading       | 0,4-0,6    | Yellow        | 6-7            | Medium      |                   |
| <i>Ruschia Tecta</i>                    |                 | Regopvygie        | Erect           |            | Magenta       | 10-11          | Medium      |                   |
| <i>Ruschia Radicans</i>                 | Ruschia         | Vygie             | Creeping        |            | Magenta       | 5-7            | Medium      |                   |
| <i>Ruschia Langebaanensis</i>           |                 | Vygie             | Spreading       |            | Magenta       | 8-9            |             |                   |
| <i>Tylecodon Paniculatus</i>            | Butter Tree     | Botterboom        | Erect           | 2          | Orange-red    | 11-1           | Slow        | Birds             |



## 6. TREES

| Botanical Name                       | English Name            | Afrikaans Name     | Shape     | Height (m) | Flower Colour          | Flowering Time | Growth Rate | Uses                        |
|--------------------------------------|-------------------------|--------------------|-----------|------------|------------------------|----------------|-------------|-----------------------------|
| <i>Acacia Karroo</i>                 | Sweet Thorn             | Soetdoring         | Spreading | 4-8        | Yellow                 | 10-2           | Fast        | Shade/birds/butterflies     |
| <i>Acacia Xanthoploea*</i>           | Fever Tree              | Koorsboom          |           | 15         | Yellow                 |                | Fast        |                             |
| <i>Brachylaena Discolor</i>          | Wild Silver Oak         | Wildevaalbos       | Spreading | 4-6        | White                  | 7-9            | Fast        | Hedge/windbreak             |
| <i>Brachylaena Neriifolia</i>        | Kloof Brachy            | Waterwitsel        | Spreading | 4-6        | White & silver foliage | 7-9            | Medium      | Hedge/windbreak             |
| <i>Buddleja Saligna</i>              | Olive Buddleja          | Witolienhout       | Rounded   | 4-7        | Cream/white            | 8-1            | Fast        | Medicinal                   |
| <i>Buddleja Salviifolia</i>          | Sagewood                | Wildesalie         | Rounded   | 3-8        | Cream/lilac            | 8-9            | Fast        | Medicinal                   |
| <i>Cassine Peragua</i>               | Cape Saffron            |                    | Rounded   | 2-5        | White                  | 2-6            |             | Birds                       |
| <i>Dodonaea Viscosa</i>              | Sand Olive              | Sanddien           |           | 5          | Yellowish-green        | 4-8            | Fast        | Birds/butterflies           |
| <i>Euclea Racemosa</i>               | Sea Guarri              | Seeghwarrie        | Rounded   | 4-6        | Cream                  | 12-3           | Medium      | Hedge/windbreak             |
| <i>Maytenus Oleoides</i>             | Mountain Maytenus       | Klipkershout       | Rounded   | 4-5        | Creamy white           | 8-11           | Slow        | Birds                       |
| <i>Noltea Africana</i>               | Soap Bush               | Seepblikblaar      | Hedge     | 2-6        | White                  | 7-9            | Fast        | Bees/birds/butterflies      |
| <i>Olea Europaea subsp. Africana</i> | Wild Olive              | Wilde Olienhout    | Rounded   | 5-8        | Cream                  | 10-2           | Medium      | Shade/hedge/windbreak/birds |
| <i>Olea Exasperata</i>               | Coast Olive             | Basterolienhout    | Rounded   | 1-6        | White                  | 8-10           | Medium      | Birds                       |
| <i>Phylica Buxifolia</i>             | Box Leaf Phylica        | Bukshardeblaar     | Rounded   | 4          | White                  | 4-8            |             | Screening                   |
| <i>Phylica Pubescens</i>             | Featherhead             | Veerkoppie         |           | 1,2-2      | White                  | 5-8            | Medium      | Bees/insects                |
| <i>Podocarpus Elongatus</i>          | Breede River Yellowwood | Westelike Geelhout | Rounded   | 5          | Cream                  | 1-12           | Fast        |                             |
| <i>Pterocelastrus Tricuspidatus</i>  | Cherry Wood             | Rooikershout       |           | 4-7        | Cream                  | 7-3            | Slow        | Birds                       |
| <i>Protea Repens</i>                 | Sugarbush               | Suikerbos          | Rounded   | 4,5        | Cream/red              | 1-12           | Slow        | Birds                       |
| <i>Rapanea Melanophloeos</i>         | Cape Beech              | Kaapse Boekenhout  |           | 4-10       | Creamy yellow          | 6-12           | Fast        | Bees/birds                  |
| <i>Rhus Lancea</i>                   | Karee                   | Karee              | Hanging   | 4-8        | Greenish-yellow        | 7-9            | Fast        | Shade/birds                 |
| <i>Rhus Undulata</i>                 | Kuni-bush               | Koenebos           | Spreading | 2-5        | Insignificant          |                | Fast        | Windbreak                   |
| <i>Searsia Lucida</i>                | Glossy Crowberry        | Blinktaaihos       | Hedge     | 2-3        | White                  | 8-2            | Fast        | Bees/birds/butterflies      |
| <i>Sideroxylon Inerme</i>            | Milkwood                | Melkhout           | Spreading | 4-6        | Greenish-white         | 12-6           | Slow        | Shade/birds                 |
| <i>Tarchonanthus Camphoratus</i>     | Camphor Bush            | Kanferbos          | Spreading | 1-8        | White                  | 4-6            | Fast        | Windbreak/bees/birds        |
| <i>Virgilia Divaricata</i>           | Blossom Tree            | Keurboom           | Rounded   | 10         | Pinkish-mauve          | 8-11           | Fast        | Bees/birds/butterflies      |



| Botanical Name             | English Name | Afrikaans Name | Shape   | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses               |
|----------------------------|--------------|----------------|---------|------------|---------------|----------------|-------------|--------------------|
| <i>Virgilia Orobooides</i> | Blossom Tree | Keurboom       | Rounded | 10         | Pale pink     | 1-4            | Fast        | Bees/birds/insects |

\* For every Fever Tree planted, one Milkwood is to be planted and one other tree from the list (including another Milkwood).

## 7. WETLAND PLANTS

| Botanical Name                  | English Name      | Afrikaans Name  | Shape | Height (m) | Flower Colour | Flowering Time | Growth Rate | Uses |
|---------------------------------|-------------------|-----------------|-------|------------|---------------|----------------|-------------|------|
| <i>Aponogetum distachyos</i>    | Cape Pond Weed    | Waterblommetjie |       | 0,1        | White         | 7-10           |             |      |
| <i>Chondropetalum Tectorum</i>  | Thatching Reed    | Dekriet         |       | 1,5        |               |                |             |      |
| <i>Cyperus Textilis</i>         | Basket Grass      | Matjiesgoed     |       |            |               |                |             |      |
| <i>Gunneria Perpensa</i>        | River Pumpkin     | Rivier Pampoen  |       | 0,6        | Red           | 9-2            |             |      |
| <i>Ixia Paniculatum</i>         | Ixia              | Pypkalossie     |       | 0,3        | Flesh         | 10-11          |             |      |
| <i>Junrus Effusus</i>           | Bog Rush          | Biesie          |       | 1,5        |               |                |             |      |
| <i>Kniphofia Uvaria</i>         | Red Hot Poker     | Vuurpyl         |       | 0,8        | Red           | Summer         |             |      |
| <i>Massonia Angustifolia</i>    | Buttonhole Flower | Bobbejaanboek   |       | 0,1        | Orange        |                |             |      |
| <i>Moraea Ramosissima</i>       |                   | Vlei-uintjie    |       | 0,3        | Yellow        | 10-12          |             |      |
| <i>Nymphaena Nonchali</i>       | Water Lily        | Waterlelie      |       | 0,4        | Blue          |                |             |      |
| <i>Onixotis Stricta</i>         | Onix              | Rysblommetjie   |       | 0,3        | Pink          | 9-10           |             |      |
| <i>Orphium Frutescens</i>       | Orphium           | Teeringbos      | Erect | 0,3-0,8    | Pink          | 11-2           | Fast        |      |
| <i>Wachendorfia Thyrsiflora</i> | Bloodroot         | Rookknol        |       |            | Yellow        | 9-11           |             |      |
| <i>Watsonia Coccinea</i>        |                   | Kleinkonolpypie |       | 0,3        | Red           | 9-10           |             |      |
| <i>Watsonia Meriana</i>         |                   | Lakpypie        |       |            | Red           | 10-11          |             |      |
| <i>Zantedeschia Aethiopica</i>  | Arum Lily         | Aronskelk       |       | 1          | White         | Spring         |             |      |

## 8. POTTED PLANTS

| Botanical Name         | English Name  | Afrikaans Name | Shape | Height (m) | Flower Colour     | Flowering Time | Growth Rate | Uses                   |
|------------------------|---------------|----------------|-------|------------|-------------------|----------------|-------------|------------------------|
| <i>Aloe Aborescens</i> | Krantz Aloe   |                |       | 2-3        | Red-orange        |                | Perennial   |                        |
| <i>Aloe Ferox</i>      |               |                |       | 3          | Orange/red        |                | Slow        | Birds/bees/butterflies |
| <i>Aloe Marlothii</i>  | Mountain Aloe | Bergaalwyn     |       | 2-4        | Orange-red/yellow | 5-9            | Perennial   | Birds/medicinal        |



| Botanical Name                | English Name           | Afrikaans Name     | Shape         | Height (m) | Flower Colour         | Flowering Time | Growth Rate | Uses         |
|-------------------------------|------------------------|--------------------|---------------|------------|-----------------------|----------------|-------------|--------------|
| <i>Barleria Repens</i>        | Small Bush Violet      | Bosviooltjie       | Shrub         | 0,7        | Pink-red/purple-mauve | 2-4            |             | Insects      |
| <i>Clivia Miniata</i>         | Bush Lily              | Boslelie           |               |            | Orange                | 8-11           | Perennial   |              |
| <i>Crassula Species</i>       |                        |                    |               |            |                       |                |             |              |
| <i>Freesias</i>               |                        |                    | Tufted        | 0,1-0,4    | Varied                |                | Perennial   | Fragrant     |
| <i>Gasteria</i>               | Mother-in-law's tongue |                    |               |            |                       | Spring-summer  |             |              |
| <i>Geranium</i>               | Cranesbills            |                    |               |            | Varied                |                | Perennial   |              |
| <i>Jasminum Multipartitum</i> | Starry Wild Jasmine    | Sterretjies-jasmyn | Shrub/climber | 1,5-3      | White                 | 8-1            | Medium-Fast | Insects/game |
| <i>Mackaya Bella</i>          | Forest Bell Bush       |                    | Shrub         |            | Mauve-white           |                |             |              |
| <i>Monopsis Unidendata</i>    | Wild Violet            |                    |               |            | Purple                | 10-1           |             |              |
| <i>Pelargonium sp</i>         |                        |                    | Shrub         |            |                       |                |             | Annual       |
| <i>Sterlitzia Reginae</i>     | Sterlitzia             | Sterlitzia         |               | 2          | Orange                |                | Slow        | Birds        |
| <i>Herbs</i>                  |                        |                    |               |            |                       |                |             |              |

## BIBLIOGRAPHY

Proteas of Southern Africa Tony Rebelo

Weskus Veldblomgids van Suid-Afrika 7 John Manning&Peter Goldblatt

Watter Blom is Dit? Kristo Pienaar

Die A-Z van Tuinmaak in Suid-Afrika W.G.Sheat

Waterbesparende Inheemse Tuinmaak Ernst van Jaarsveld

Identifiseer die Bome van Suid-Afrika Braam van Wyk& Piet van Wyk

Field Guide to TREES Braam van Wyk &Piet van Wyk

Field Guide to FYNBOS JOHN MANNING

Guide to the ALOES of South Africa Ben-Erik van Wyk & Gideon Smith

RESTIOS of the FYNBOS Els Dorat Haaksma& H Peter Linder

<http://www.plantzafrica.com>

<http://www.en.wikipedia.org>